



Pool & Spa

c o l l e c t i o n



Waxman Ceramics

Pool & Spa collection



Waxman Ceramics

3	Ceramic Pool
5	Harmonie
6	Landscape
7	Smart
9	Shapes
11	Lugano
12	Lustre Pearl
13	Jewel
15	Niebla
19	Iridis
20	Ceris
21	Sundance
23	Moon / Pandora
25	Trendy / Drops
26	Crystalline
27	Tulip
28	Lustrous
29	Chromatic
31	Accord
32	Design Service
39	Torino (WA Series)
43	Rocce (WB2 Series)
45	Unglazed
46	Atlanta
47	Pietre Runiche (WR Series)
49	Brezo, Radica & Delhi
51	Limestone
53	Madrid (WJ Series)
55	Solo (WG Series)
56	Assouan
57	Serapool
58	N Series
60	Project (WP1 Series & WP2 Series)
62	Ardex
64	Anti-Slip Information

 Anti-Slip

 Also available in Anti-Slip

 Frostproof

Colours shown are as accurate as the limitations of the printing process will allow.

Please refer to actual product samples before ordering.



Ceramic Pool

 	Product: Glazed Ceramic * Unglazed Ceramic	Size: 23x23mm	Thickness: 5mm	Sheet Size: 144 tiles/sheet = 30x30cm	Anti-Slip Ratings: DIN 51097 : 'C' SRV Rating : Safe
---	---	-------------------------	--------------------------	---	--



CM-140
Matt White




CG - 100
Gloss White




CU-171
Unglazed White



CA-101
White Anti-Slip



CA-404
Sky Blue Anti-Slip



CM-890
Matt Black



CG-890
Gloss Black



CU-117
Unglazed Black




CG-139
Gunmetal Grey




CG-120
Steel Grey




CG-470
Sky Blue



CG-444
Baltic Blue



CB-104
Ocean



CG-1451
Sapphire



CG-340
Mint



CX-901
Silver




CG-116
Vanilla




CB-144
Caribbean




CB-448
Mediterranean



CB-144 Key
Caribbean Roman Key



CB-448 Key
Mediterranean Roman Key



Harmonie

5

Harmonie

Mosaics

 	Product: Glazed Porcelain	Size: 25x25mm	Thickness: 4mm	Sheet Size: 169 tiles/sheet = 34.8x34.8cm	Anti-Slip Ratings: DIN 51097 : 'C' SRV Rating : Safe
---	-------------------------------------	-------------------------	--------------------------	---	--



AG-1
Muguet




AG-2
Pierre




AG-3
Lotus



AG-4
Mouette




AG-5
Egee



AG-6
Caraibes



AG-10
Genet



AG-11
Prunelle



AG-13
Camel



AG-16
Tuille



AG-17
Californie



AG-18
Lavande



AG-20
Gravier



AG-21
Clairiere




AG-22
Pollen



AG-23
Pivoine



AG-24
Ivraie



AG-30
Quetsche



AG-31
Buis




AG-32
Galapagos



AG-33
Danube



AG-34
Aster



AG-35
Coriandre



AG-36
Schiste



AG-37
Fuchsia



AG-70
Zinnia




AG-71
Camelia



AG-72
Noisetier



AG-75
Bahamas



AF-1
Floride



AF-2
Cipagno



AF-3
Flores



AF-4
Scilly



AF-5
Orcade



Landscape


i	Product: Glazed Porcelain	Size: 25x25mm	Thickness: 6mm	Sheet Size: 144 tiles/sheet = 29.7x29.7cm
----------	-------------------------------------	-------------------------	--------------------------	---




Mix 1
Forest



Mix 3
Moorland



Mix 4
Meadow



Mix 5
Sky




Mix 6
Rockface



Mix 7
Desert



Mix 8
Waterfall



Smart

 	Product: Glazed Ceramic	Size: 23x73mm	Thickness: 6mm	Sheet Size: 48 tiles/sheet = 30x30cm
---	-----------------------------------	-------------------------	--------------------------	--




CX-8002
Dewdrop White



CG-8100
Glacier



CG-8888
Steel Grey



CX-8004
Dewdrop Black
see inset image



CG-8890
Midnight Black



CG-8895
Gunmetal Grey



Shapes

i		Product:	Size:	Thickness:	Sheet Size:
		Glazed Ceramic *Unglazed Ceramic	23x26mm Hex	5mm	144 tiles/sheet = 26x30cm



CM-2103
Hexagon - Matt White / Black



CM-2140
Hexagon - Matt White




CU-2101
Hexagon - Unglazed White



CU-2117
Hexagon - Unglazed Black

i		Product:	Size:	Thickness:	Sheet Size:
		Glazed Ceramic	23x48mm	6mm	72 tiles/sheet = 30x30cm



CG-4102
Mini Metro - Gloss White




CG-4890
Mini Metro - Gloss Black

i		Product:	Size:	Thickness:	Sheet Size:
		Glazed Ceramic	19mm Round	5mm	240 tiles/sheet = 31x29cm




CM-3140
Circle - Matt White




 	Product: Glass Mosaic	Size: 20x20mm	Thickness: 4mm	Sheet Size: 225 tiles/sheet = 32.7x32.7cm
---	---------------------------------	-------------------------	--------------------------	---



KB-125
Blu Cielo



KB-122
Blu Oceano




KB-121
Cobalto




KB-091
Lava



KB-063
Ghiaccio



KB-630
Turchese




KB-810
Blu Elettrico



KB-812
Azzurro Ghiaccio



KB-814
Grigio Salvia



KB-818
Moscato



Lustre Pearl


 	Product: Glass Mosaic	Size: 20x20mm	Thickness: 4mm	Sheet Size: 225 tiles/sheet = 32.7x32.7cm
---	---------------------------------	-------------------------	--------------------------	---



MNA-10
White



MNA-04
Agua




MNC-61
Blue




MNC-45
Black




MEC-45
Lustre Black




MND-34
Marine




MND-35
Denim




MND-37
Zaffre



MND-44
Forest



MND-45
Apple




Jewel


 	Product: Glass Mosaic	Size: 20x20mm	Thickness: 4mm	Sheet Size: 225 tiles/sheet = 32.7x32.7cm
---	--------------------------	------------------	-------------------	--




GL-044
Gomeda




GL-088
Topaz



GL-078
Lazurite




GL-075
Amazonite




 	Product: Glass Mosaic	Size: 25x25mm	Thickness: 5mm	Sheet Size: 169 tiles/sheet = 33.3x33.3cm	 Anti-Slip Ratings: DIN 51097 : 'C'  SRV Rating : Safe
---	--------------------------	------------------	-------------------	--	---




PS-25
White




PS-50
Foggy Light Blue



PS-53
Foggy Mid Blue



PS-55
Foggy Dark Blue



PS-61
Foggy Sapphire




PS-95
San Sebastian




Giava




NT-10
Carpatos




PS-60
Foggy Deep Blue




PS-57
Foggy Aqua



PS-52
Foggy Turquoise




PS-58
Foggy Light Green




PS-26
Black




PS-54
Foggy Black




PS-56
Foggy Moss Green



PS-51
Foggy Blue




 	Product: Glass Mosaic	Size: 25x25mm	Thickness: 5mm	Sheet Size: 169 tiles/sheet = 33.3x33.3cm
---	--------------------------	------------------	-------------------	--




PS-150
Oria Mix




PS-153
Urumea Mix




PS-155
Urola Mix




PS-50 IRIS
Light Blue Iridescent



PS-53 IRIS
Mid Blue Iridescent



PS-55 IRIS
Dark Blue Iridescent



PS-163 IRIS
Bidasoa Mix




 	Product: Glass Mosaic	Size: 25x25mm	Thickness: 5mm	Sheet Size: 144 tiles/sheet = 31.6x31.6cm
---	---------------------------------	-------------------------	--------------------------	---




Jazmin




Magnolia



Lunaria




Lila




Verbena




Jacaranda




Narcisco




Jacinto




Carmin




Celeste




Cobalto



Coffee



Edel




Grey




Lavanda




Maldivas




Nenufar




Oran



Pasion



Petunia



Sahe



Sandal



Caribe



Ceris

 	Product: Glass Mosaic	Size: 25x25mm	Thickness: 5mm	Sheet Size: 144 tiles/sheet = 31.6x31.6cm
---	--------------------------	------------------	-------------------	--

* Not suitable for submersion



Moondance Negro




Metalica Plata

*




Metalica Platino

*



Rock Cobalto 50%



Rock Platino 50%


*




Sundance

 	Product: Glass Mosaic	Size: 25x25mm	Thickness: 5mm	Sheet Size: 144 tiles/sheet = 31.6x31.6cm
---	---------------------------------	-------------------------	--------------------------	---

* Not suitable for submersion




Blanco



Beige




Manzana



Plata

*



Rosa



Oro




Moon

23


Moon - Pandora

Mosaics

 	Product: Glass Mosaic	Size: 25x25mm	Thickness: 5mm	Sheet Size: 144 tiles/sheet = 31.7x31.7cm
---	--------------------------	------------------	-------------------	--



650
Red




651
Metallic




652
White



658
Silver



659
Black



660
Blue

Pandora

 	Product: Glass Mosaic	Size: 25x25mm	Thickness: 5mm	Sheet Size: 144 tiles/sheet = 31.6x31.6cm
---	--------------------------	------------------	-------------------	--




Bianco 50%




Ferro 50%



Vainiglia 50%



Zen 50%



Oda 50%



Tornasol 50%



Trendy

i		Product: Glass Mosaic	Size: 25x25mm	Thickness: 5mm	Sheet Size: 144 tiles/sheet = 31.6x31.6cm
---	---	--------------------------	------------------	-------------------	--



Trendy Antracita



Trendy Gris



Trendy Celeste




Trendy Beige

Drops

i		Product: Glass Mosaic	Size: 25x25mm	Thickness: 5mm	Sheet Size: 144 tiles/sheet = 31.6x31.6cm
---	---	--------------------------	------------------	-------------------	--



Drops Antracita 50%



Drops Negro 50%




Drops Gris 50%




Drops Beige 50%




Drops Blanco 50%



Drops Cobalto 50%




Drops Celeste 50%




Tulip

 	Product: Glass Mosaic	Size: 20x20mm	Thickness: 8mm	Sheet Size: 196 tiles/sheet = 31x31cm
---	---------------------------------	-------------------------	--------------------------	---



MIC-02
Crystal




MIC-16
Toffee




MIC-30
White



MIC-04
Blue




MIC-06
Black




Lustrous


 	Product: Glass Mosaic	Size: 15x15mm	Thickness: 8mm	Sheet Size: 324 tiles/sheet = 29.5x29.5cm
---	--------------------------	------------------	-------------------	--



MLG-1502
Black Mix




MLG-1505
Blue Mix




MLG-1504
Green Mix



MLG-1506
Red Mix



MLG-1508
Ivory Mix



MLG-1501
White Mix



Chromatic


 	Product: Glass Mosaic	Size: 15x15mm	Thickness: 8mm	Sheet Size: 324 tiles/sheet = 30.5x30.5cm
---	--------------------------	------------------	-------------------	--




PLM-2011-1
Glitter




PLM-2002
Harlequin



PLM-2008
Azurite



PLM-2010
Lagoon



PLM-2012
Purple Haze



LA-91
Silver



Accord

31


Accord

Mosaics

i	Product: Glass & Natural Stone	Size: 15x15mm	Thickness: 8mm	Sheet Size: 324 tiles/sheet = 29.5x29.5cm
----------	-----------------------------------	------------------	-------------------	--



Accord-101
Desert Sand



Accord-102
Autumn Blush



Accord-201
Crystal Beige



Accord-203
Ice Cube



Accord-401
Copper Bronze



Accord-303
Coal Mine

Accord


i	Product: Glass & Natural Stone	Size: 15x48mm	Thickness: 8mm	Sheet Size: 108 tiles/sheet = 29.5x29.5cm
----------	-----------------------------------	------------------	-------------------	--



Accord-MB-201
Crystal Beige



Accord-MB-203
Ice Cube



Accord-MB-205
Sepia Brown




Accord-MB-303
Coal Mine



Accord-MB-312
Chestnut Brown



Accord-MB-401
Copper Bronze



 	Product: Unglazed Porcelain	Size: See page 41	Thickness: See page 41	Anti-Slip Ratings: DIN 51130 : R11 Riven Finish DIN 51097 : 'B' SRV Rating : Safe
---	---------------------------------------	-----------------------------	----------------------------------	--



WA-30
Purino



WA-26
Wyoming



WA-27
Marostica



WA-34
Davos



WA-21
Emperador



WA-28
Arlberg



WA-44
Cumin



WA-38
Menorca



WA-36
Innsbruck



WA-18
Timoa



WA-22
Limoges



WA-20
Plural



WA-24
Chile



WA-45
Thassos



WA-14
Kallim



WA-42
Isola



WA-16
Athenian



WA-12
Melange



WA-32
Oregon




WA-40
Autumn



WA-46
Blanes

Finishes

**Polished**

The high gloss polished surface further enhances the elegance of the Torino series, adding that touch of extra opulence for areas where the greatest visual impact is required.

Natural

In the natural version the Torino series is at its most versatile. It is appropriate for use in every environment of the residential and commercial sectors. Results achieved will be of the highest standard both from an aesthetic and technical standpoint.

Silk

The silk surface is achieved by mechanical polishing and produces a perfectly smooth subtle satin finish with great tactile appeal and with the added benefit of being easier to maintain.

Riven (R11 A+B) ^A

The riven finish is ideal for areas where a degree of slip resistance is required, as it meets both the DIN 51097 A+B and the DIN 51137 R11 standards. An aesthetically pleasing surface in itself it is particularly effective in combination with the other surfaces.

Decorations




Mosaic Mix A
30x30cm



Mosaic Mix B
30x30cm



Mosaic Mix C
30x30cm



Mosaic Texture
30x30cm
Available in all colours



Mosaic on Mesh
Polished
Available in all colours



Decoro A
30x30cm
Available in all colours



Decoro B
30x30cm
Available in all colours



Decoro C
30x60cm
Available in all colours



Muretto 3D
30x60cm

Available in colours:
WA-32 & WA-30




Mosaico 3D
30x60cm

Available in colours:
WA-45 & WA-30









Decoro Gocce
30x60cm


Sizes

							
SIZE	10x60cm	15x60cm	20x60cm	30x60cm	15x120cm	20x120cm	60x120cm
THICKNESS	9.5mm	9.5mm	9.5mm	9.5mm	10.5mm	10.5mm	10.5mm

				
SIZE	15x15cm	30x30cm	40x40cm	60x60cm
THICKNESS	9.5mm	9.5mm	9.5mm	10.5mm

Special Pieces

 Skirting 9x30cm, 9x40cm, 9x60cm	 A7 S7 Cove base with rounded edge 15x30cm	 Step tread 30x30cm, 30x60cm	 h. 2 cm Coping piece with non-slip edge 60x33cm
 h. 2 cm Coping piece 60x33cm, 120x33cm, 130x33cm	 h. 2 cm Coping piece with ext. Corner 60x33cm, 120x33cm, 130x33cm	 h. 3 cm Step tread with downstand 40x33cm	 h. 3 cm Step tread with downstand ext. Corner 40x33cm
 h. 5 cm Profiled step edge 30x33cm, 60x33cm	 h. 5 cm Profiled step edge ext. Corner 30x33cm, 60x33cm		



i	Product: Unglazed Porcelain	Size: See below	Thickness: See below	Anti-Slip Ratings: DIN 51130 : R10 DIN 51097 : 'B' SRV Rating : Safe
----------	---------------------------------------	---------------------------	--------------------------------	---



WB-20
Sandstone



WB-21
Basalt



WB-22
Granite



WB-23
Limestone



WB-24
Dolomite




WB-25
Quartzite

Sizes

					
SIZE	15x15cm	30x30cm	45x45cm	15x30cm	30x60cm
THICKNESS	9.5mm	9.5mm	9.5mm	9.5mm	9.5mm

Special Pieces

 Skirting 9x30cm, 9x45cm	 Coping piece 9x30cm, 9x45cm	 Step tread 30x30cm, 45x45cm, 30x60cm	 Profiled step edge 30x33cm
 Channel support 30x2.5x2.5cm	 Channel grating 15x30cm	 Channel grating 30x30cm	 Channel grating angle 15x30cm, 30x30cm in 2 pieces



Unglazed

45

Unglazed

Anti-Slip

 	Product: Unglazed Ceramic	Size: 2x2cm 5x5cm 10x10cm	Thickness: 3.8mm 5mm 9mm	Sheet Size: 196 tiles/sheet = 30.8x30.8cm 36 tiles/sheet = 31.8x31.8cm Loose tiles	Anti-Slip Ratings: see table below
---	-------------------------------------	---	--	--	---

						
WK-120 Super White	WK-121 White	WK-130 Ivory	WK-136 Ontario	WK-135 Linen	WK-134 Coffee	WK-101 Brown
						
WK-122 Pearl	WK-123 Pale Grey	WK-124 Grey	WK-125 Anthracite	WK-126 Black	WK-132 Cognac	WK-100 Red
						
WK-150 Pistache	WK-151 Pale Green	WK-152 Green	WK-153 Dark Green	WK-141 Pale Blue	WK-142 Blue	WK-143 Dark Blue


Rice Grain Anti-Slip

Available in all colours



	Anti-Slip Rating	
	Smooth Finish	Rice Grain Anti-Slip
2x2cm	DIN 51130 : R10 DIN 51097 : C SRV : Safe	N/A
5x5cm	DIN 51130 : R10 DIN 51097 : C SRV : Safe	DIN 51130 : R10 DIN 51097 : C SRV : Safe
10x10cm	DIN 51130 : R10 DIN 51097 : B SRV : Moderate	DIN 51130 : R10 DIN 51097 : C SRV : Safe

Special Pieces





Atlanta

 	Product: Glazed Ceramic	Size: 48x48mm	Thickness: 6mm	Sheet Size: 36 tiles/sheet = 30.5x30.5cm	 Anti-Slip Ratings: DIN 51097 : 'C' SRV Rating : Safe
---	----------------------------	------------------	-------------------	---	---



CA-6902
Beach



CA-6901
Cloud



CA-6940
White



CA-6941
Ivory





Pietre Runiche

 	Product: Unglazed Porcelain	Size: 30x30cm	Thickness: 9mm	Anti-Slip Ratings: DIN 51130 : R11 DIN 51097 : 'C' SRV Rating : Safe
---	---------------------------------------	-------------------------	--------------------------	---



WR-29
Odino



WR-30
Thor



WR-31
Freyr



WR-32
Mondo




WR-33
Balder

Special Pieces



Skirting
9.5x30cm



Step tread
30x30cm



Brezo

49

Brezo, Radica & Delhi

Anti-Slip

 	Product: Glazed Porcelain	Size: 33x33cm 45x45cm	Thickness: 9mm 9mm	Anti-Slip Ratings: DIN 51097 : 'C' SRV Rating : Safe
---	-------------------------------------	------------------------------------	---------------------------------	--




Ocre Grip



Beige Grip



Special Pieces



Radica

 	Product: Glazed Porcelain	Size: 33x33cm	Thickness: 9mm	Anti-Slip Ratings: DIN 51097 : 'C' SRV Rating : Safe
---	-------------------------------------	-------------------------	--------------------------	--




Marfil Grip



Negro Grip



Special Pieces



Delhi


 	Product: Glazed Porcelain	Size: 33x33cm 45x45cm	Thickness: 9mm 9mm	Anti-Slip Ratings: DIN 51097 : 'C' SRV Rating : Safe
---	-------------------------------------	------------------------------------	---------------------------------	--



Nature Grip



Special Pieces





Lifestone

 	Product: Unglazed Porcelain	Size: 45x45cm	Thickness: 10mm	 Anti-Slip Ratings: DIN 51097 : 'C' SRV Rating : Safe
---	--------------------------------	------------------	--------------------	---



Lifestone Nacar



Lifestone Arena





Lifestone Gris



Lifestone Tabaco



Special Pieces

 Skirting 8x45cm	 Step tread 45x45cm
--	---



Madrid

		Product: Un glazed Porcelain	Size: 30x60cm	Thickness: 9mm	 Anti-Slip Ratings: DIN 51097 : 'C' SRV Rating : Safe
---	---	---------------------------------	------------------	-------------------	---



WJ-3/A
Grey Anti-Slip



WJ-4/A
Beige Anti-Slip



WJ-5/A
Sand Anti-Slip





WJ-1/A
Charcoal Anti-Slip



WJ-2/A
Graphite Anti-Slip

Special Pieces

 Skirting 8x30cm, 8x60cm	 Step tread 30x60cm
---	--



Solo

		Product: Un glazed Porcelain	Size: 30x60cm	Thickness: 9mm	 Anti-Slip Ratings: DIN 51130 : R12 DIN 51097 : 'C' SRV Rating : Safe
---	---	---------------------------------	------------------	-------------------	--



WG-2/R
Beige Rustic



WG-3/R
Vanilla Rustic





WG-5/R
Graphite Rustic



WG-6/R
Charcoal Rustic

Special Pieces

 Skirting 8x30cm, 8x60cm	 Step tread 30x60cm
---	--



Assouan

 	Product: Glazed Porcelain	Size: 50x50cm	Thickness: 10mm	Anti-Slip Ratings: DIN 51097 : 'C' SRV Rating : Safe
---	-------------------------------------	-------------------------	---------------------------	--



8607
Grey



8606
Beige



8605
Sand



Special Pieces





Serapool



80123
White
12 x 24.5cm



80121.3
Light Blue
12 x 24.5cm



80127
Cobalt
12 x 24.5cm



10207 Pool Edge
Petit Carre (cobalt blue)
12 x 24.5cm



21217 Step Edge
Petit Carre (cobalt blue)
12 x 24.5cm



20200
Petit Carre (unglazed)
12 x 24.5cm



20203
Petit Carre (white)
12 x 24.5cm



80133
White Anti-Slip
12 x 24.5cm

This page shows a small selection from the Serapool range of swimming pool tiles and fittings

For full details simply scan the QR code to visit their website.



N Series

		Product: Glazed Vitrified	Size: See chart opposite	Thickness: 7mm	 Anti-Slip Ratings: DIN 51130 : R11 DIN 51097 : 'B'
---	---	------------------------------	-----------------------------	-------------------	---

					
N-01 Huntington	N-40 Ottoman	N-41 Cadiz	N-42 Moorish	N-89 Nepal	N-91 Munich
					
N-02 Arran	N-85 Thornbury	N-30 Lullina	N-44 Barbados	N-90 Verona	N-93 Prism
					
N-03 Mercury	N-86 Belize	N-32 Namibia	N-45 Antigua	N-72 Singapore	N-94 Emilia
					
N-04 Monsoon	N-88 Madras	N-98 Arena	N-43 Planet	N-97 Lunar	
					
N-05 Minster		N-70 Saigon	N-37 Colombo		
					
N-07 Windsor			N-38 Amazon		

N Series



N-10
Queensland




N-80
Macau



N-81
Oriental



N-83
Lakeside



N-12
Perth



N-15
Harmony



N-21
Warsaw



N-84
Chelo



N-14
Bavaria



N-17
Istanbul



N-82
Argyll



N-23
Chameleon



N-19
Esagoni



N-18
Dalaman



N-95
Forest



N-00
Farnham



N-87
Sahara



N-96
Flame



N-99
Lowry



N-09
Ardennes

					
Size	30x30cm	20x20cm	10x20cm	15x15cm	10x10cm
Colours	Selected Colours	All Colours	All Colours	Selected Colours	Selected Colours
Finishes	Matt	Matt	Matt	Matt	Matt

Project

 	Product: Unglazed Porcelain	Size: see chart	Thickness: 7mm	 Anti-Slip Ratings: see chart opposite
---	--------------------------------	--------------------	-------------------	---



WP-101
Mint



WP-103
Beige



WP-104
Snow



WP-105
Vanilla



WP-107
Sky Blue



WP-108
Deep Blue



WP-110
Mustard



WP-112
Grey Blue



WP-113
Ash Grey



WP-114
Pearl Grey



WP-117
Charcoal



WP-119
Shell Pink



WP-121
Terracotta



WP-125
Forest Green



WP-127
Violet



WP-210
Haiti



WP-211
Avon



WP-212
Shannon



WP-213
Rhine



WP-214
Antigua



WP-215
St Kitts



WP-216
Jamaica



WP-217
Bahamas



WP-218
Severn



WP-219
Loire



WP-220
Tobago



WP-221
Trent



WP-222
Rhone



WP-223
Barbados



WP-224
Cuba



WP-225
Danube



WP-226
St Lucia



WP-227
Tyne



WP-228
Mersey



WP-229
Thames



WP-230
Seine



WP-231
Clyde



WP-232
Volga



WP-233
Cayman



WP-234
Grenada



WP-235
Trinidad




WP-238
Ural



	15x15cm	20x20cm	30x30cm	A Anti-Slip Rating		
				DIN 51130	DIN 51097	SRV
1. Slate		●	●	R12	C	Safe
2. Chequer Plate	●	●		R12	C	Safe
3. Lattice	●	●		R12	C	Safe
4. Carborundum		●		R11		Safe
5. Texture	●	●	●	R11	B	Safe
6. Studded		●		R11	C	Safe
7. Square Face		●		R11	C	Safe
8. Texture Plus		●		R13	C	Safe

							
Size	60 x 60cm	30 x 60cm	40 x 40cm	30 x 30cm	10 x 20cm	20 x 20cm	15 x 15cm
Thickness	10.5mm	10.5mm	9.5mm	9.5mm	9.5mm	9.5mm	9.5mm





The ARDEX Pool System

Walls - Preparation

Ardex AM 100 is recommended for use as a wall render prior to tiling. Ardex AM 100 can be applied from 2-20mm thick and tiling can commence after 2 hours at 20°C.

Walls and Floors - Waterproofing

Use ARDEX S 7 waterproof coating to ensure your swimming pool is water tight and free from leaks. Apply to walls and floors prior to tiling. Ensure you use the correct joint tapes required.

Walls - Tile Fixing

Fix mosaics or wall tiles with ARDEX X 77 MICROTEC adhesive ensuring solid bedding is achieved.

Floors - Preparation

Depending on the thickness of base required, there are three options for floor preparation prior to tiling.

1. Apply ARDEX S 21 neat to the floor at 0-10mm thickness
2. Apply ARDEX S 21 and the incorporation of screeding sand to produce a 10-30mm base. This can also be used to form ramps and falls.
3. Apply an ARDEX A 38 screed to make up a concrete base for a 15-50mm bonded screed.

Floors - Tile Fixing

Ensure solid bedding of the tiles is achieved when fixing mosaics or floor tiles using ARDEX X 77 MICROTEC adhesive or for a rapid setting adhesive use ARDEX X 77 S MICROTEC adhesive. If you are fixing large format tiles and require a semi-pourable adhesive, use ARDEX X 78 S MICROTEC adhesive.

Grouting Walls and Floors

1. ARDEX-FLEX FS and FL grouts are available in 32 colours to colour match any tile choice.
2. For areas where chemical resistance and hygienic joints are required use ARDEX EG 8 cement/epoxy hybrid grout and adhesive





ARDEX-FLEX FS*

Flexible Tile Grout
with Built-In Admix
1-4mm joints



ARDEX-FLEX FL*

Rapid Setting Flexible
Cement-Based
Grouting Compound
3-15mm joints



ARDEX EG 8

Cement/Epoxy Hybrid
Grout and Adhesive
White & Grey

0.9m
0.6m

3

B

2

A

1

OPTION 1: 0-10mm



ARDEX S 21

Rapid Hardening
Floor Tile Bedding
Mortar
Neat, 0-10mm

OPTION 2: 10-30mm



ARDEX S 21

Rapid Hardening
Floor Tile Bedding
Mortar with sand,
10-30mm and
A Bonding Coat
(neat ARDEX S 21)

OPTION 3: 15-50mm



ARDEX A 38

Rapid Hardening
Cement for Floor
Screeds
Cement/Sand
Screed, 15-50mm



ARDEX E 100

Bonding/Slurry
Grout
B Bonding Cement
System

Anti-Slip information



Ramp Testing

DIN51130 - Shod traffic

DIN51097 - Barefoot

Classification	Angle
R9	6° < 8°
R10	10° < 19°
R11	19° < 27°
R12	27° < 35°
R13	> 35°

Classification	Angle
A	12° < 17°
B	18° < 23°
C	> 24°



Pendulum Testing

SRV = Slip Resistance Value

SRV Pendulum Test Result	Slip Potential	Rating
0 - 24	Dangerous or high potential for slipping	Dangerous
25 - 35	Marginal or moderate potential for slipping	Moderate
36 - 65	Safe or low potential for slipping	Safe
66 +	Very safe or extremely low potential for slipping	Very Safe

